


Message



Preprohormone




FIG. 1




FIG. 2






FIG. 3

4/26



FIG. 4A

FIG. 5A





FIG. 4B

FIG. 5B





FIG. 4C

FIG. 5C





FIG. 4D

FIG. 5D



FIG. 6A




FIG. 6B



FIG. 7A




FIG. 7B

SUBSTITUTE SHEET (RULE 26)

Adrenal Lung H146 H345 H676 H720






FIG. 8A



-410bp

FIG. 8B





HISTAMINE RELEASE FROM RAT MAST CELLS

Peptide	HR ₅₀ [M] ¹	Rats
	(x±SD)	(n)
АМ	7.9±3.9 x 10 ⁻⁶	5
PO71	> 10 ⁻³	1
P072	> 10 ⁻⁴	1
AM ₁₋₁₂	> 10 ⁻⁴	1
PAMP	4.7±2.3 x 10 ⁻⁷	5
P070	2.6 x 10 ⁻⁶	1
Controls		
LHRH	1.7 x 10 ⁻⁴	2
NaiArg	$1.5\pm53 \times 10^{-7}$	5

HR₅₀ = molar concentration of peptide required to release 50% of total histamine from rat peritoneal mast cells.

FIG. 11











FIG. 14A

FIG. 14B



- 410 bp









FIG. 15C-1 FIG. 15C-2

6kDa

6kDa-





SUBSTITUTE SHEET (RULE 26)




FIG. 16C






FIG. 16D

SUBSTITUTE SHEET (RULE 26)





SUBSTITUTE SHEET (RULE 26)

300

200-

100


500


\$

Insulin secretion (high/low glucose)

909

700





0.50-0.40-0.30-0.20-0 0 20 40 60 Minutes after feeding

FIG. 20A

SUBSTITUTE SHEET (RULE 26)

Circulating insulin (pg/ml)







FIG. 21A

FIG. 21B

FIG. 21C



FIG. 21D




FIG. 21E



FIG. 21F



FIG. 21G



FIG. 21H



FIG. 211








FIG. 22










SUBSTITUTE SHEET (RULE 26)





SUBSTITUTE SHEET (RULE 26)





MoAb Conc. (μg/ml) FIG. 28A

